

Cisco

300-710 Exam

Securing Networks with Cisco Firepower

Thank you for Downloading 300-710 exam PDF Demo

You can Buy Latest 300-710 Full Version Download

https://www.certkillers.net/Exam/300-710

Version: 21.0

Topic 1, Deployment

Question: 1

What is a result of enabling Cisco FTD clustering?

A. For the dynamic routing feature, if the master unit fails, the newly elected master unit maintains all existing connections.

B. Integrated Routing and Bridging is supported on the master unit.

C. Site-to-site VPN functionality is limited to the master unit, and all VPN connections are dropped if the master unit fails.

D. All Firepower appliances can support Cisco FTD clustering.

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/640/configuration/guide/fpmc-config-guide-v64/clustering_for_the_firepower_threat_defense

Question: 2

Which two conditions are necessary for high availability to function between two Cisco FTD devices? (Choose two.)

A. The units must be the same version

B. Both devices can be part of a different group that must be in the same domain when configured within the FMC.

- C. The units must be different models if they are part of the same series.
- D. The units must be configured only for firewall routed mode.
- E. The units must be the same model.

Answer: AE

Explanation:

Reference: https://www.cisco.com/c/en/us/support/docs/security/firepower-management-center/212699- configure-ftd-high-availability-on-firep

Question: 3

https://www.certkillers.net

On the advanced tab under inline set properties, which allows interfaces to emulate a passive interface?

- A. transparent inline mode
- B. TAP mode
- C. strict TCP enforcement
- D. propagate link state

Explanation:

Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/640/configuration/guide/fpmc-config-guide-v64/inline_sets_and_passive_interfaces_for_firepower_threat_defense

Question: 4

What are the minimum requirements to deploy a managed device inline?

- A. inline interfaces, security zones, MTU, and mode
- B. passive interface, MTU, and mode
- C. inline interfaces, MTU, and mode
- D. passive interface, security zone, MTU, and mode

Answer: C

Explanation:

Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/650/configuration/guide/fpmc-config-guide-v65/ips_device_deployments_and_configuration

Question: 5

What is the difference between inline and inline tap on Cisco Firepower?

- A. Inline tap mode can send a copy of the traffic to another device.
- B. Inline tap mode does full packet capture.
- C. Inline mode cannot do SSL decryption.

D. Inline mode can drop malicious traffic.

Answer: A

Explanation:

https://www.certkillers.net

Thank You for trying 300-710 PDF Demo

To Buy New 300-710 Full Version Download visit link below

https://www.certkillers.net/Exam/300-710

Start Your 300-710 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your 300-710 preparation with actual exam questions.