

# Oracle

## 1Z0-1127-24 Exam

Oracle Cloud Infrastructure 2024 Generative AI Professional



**Thank you for Downloading 1Z0-1127-24 exam PDF Demo**

You can buy Latest 1Z0-1127-24 Full Version Download

<https://www.certkillers.net/Exam/1Z0-1127-24>

## Version: 4.0

---

### Question: 1

---

In LangChain, which retriever search type is used to balance between relevancy and diversity?

- A. top k
- B. mmr
- C. similarity\_score\_threshold
- D. similarity

---

**Answer: D**

---

---

### Question: 2

---

What does a dedicated RDMA cluster network do during model fine-tuning and inference?

- A. It leads to higher latency in model inference.
- B. It enables the deployment of multiple fine-tuned models.
- C. It limits the number of fine-tuned model deployable on the same GPU cluster.
- D. It increases GPU memory requirements for model deployment.

---

**Answer: B**

---

---

### Question: 3

---

Which role does a "model end point" serve in the inference workflow of the OCI Generative AI service?

- A. Hosts the training data for fine-tuning custom model
- B. Evaluates the performance metrics of the custom model
- C. Serves as a designated point for user requests and model responses
- D. Updates the weights of the base model during the fine-tuning process

---

**Answer: A**

---

---

**Question: 4**

---

Which is a distinguishing feature of "Parameter-Efficient Fine-tuning (PEFT)" as opposed to classic Fine-tuning" in Large Language Model training?

- A. PEFT involves only a few or new parameters and uses labeled, task-specific data.
- B. PEFT modifies all parameters and uses unlabeled, task-agnostic data.
- C. PEFT does not modify any parameters but uses soft prompting with unlabeled data. PEFT modifies
- D. PEFT parameters and is typically used when no training data exists.

---

**Answer: A**

---

---

**Question: 5**

---

How does the Retrieval-Augmented Generation (RAG) Token technique differ from RAG Sequence when generating a model's response?

- A. Unlike RAG Sequence, RAG Token generates the entire response at once without considering individual parts.

- B. RAG Token does not use document retrieval but generates responses based on pre-existing knowledge only.
- C. RAG Token retrieves documents oar/at the beginning of the response generation and uses those for the entire content
- D. RAG Token retrieves relevant documents for each part of the response and constructs the answer incrementally.

---

**Answer: C**

---

**Thank You for trying 1Z0-1127-24 PDF Demo**

**To try our 1Z0-1127-24 Full Version Download visit link below**

<https://www.certkillers.net/Exam/1Z0-1127-24>

**Start Your 1Z0-1127-24  
Preparation**

Use Coupon “**CKNET**” for Further discount on the purchase of Full Version Download. Test your 1Z0-1127-24 preparation with actual exam questions.